122	BRS	650 243	((web adj1 (page document)) (data adj1 (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))  S32 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))  S33 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone	US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB	USPAT;			
P	BRS	243	recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))  S33 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone	IBM_TDB		EPO;	JPO;	DERWENT;
1	ers		initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone					
	_	93	telephone) adj3 (call called calling)))	IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
	IS&R		S34 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
I		13253	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23)).CCLS.	US-PGPUB; DERWENT;			; EPC	); JPO;
P	BRS	103	S36 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
E	BRS	34	S37 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
	BRS	364	S36 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
E	3RS	136	S39 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
0 =	BRS	54	S40 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activated activateng activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
1	∃RS		S41 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
2	BRS	20	S32 and S36 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
3	BRS		((web adjl (page document)) (data adjl (unit page document))) near50 ((phone telephone) adj3 (number identifier identification representation))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
4 E	BRS	650	S44 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining detect detected detecting detection identify identified identifying) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
5 E	3RS	243	S45 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near15 ((phone telephone) adj3 (call called calling)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
6 🖪	3RS	93	S46 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near10 (phone telephone number))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
7 1	IS&R	11873	((715/700,764,765,772,781,810,821,846,856,862) or (715/501.1,503,526,528,830,531) or (345/157,426,581,589) or (379/90.01,93.23,142)).CCLS.	US-PGPUB;	USPAT			
B E	BR\$	103	S48 and (((web adj1 (page document)) (data adj1 (unit page document))) same ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
9 🖪	BRS	34	S49 and ((link hyperlink hotspot (hot adj1 spot) url) near10 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
0 8	BRS	364	S48 and (((web adj1 (page document)) (data adj1 (unit page document))) and ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;

10/614,394

21	BRS	136	S51 and ((scan scanned scanning recognize recognized recognizing recognition define defined defining determine determined determining determination detect detected detecting detection identify identified identifying identification) near20 ((phone telephone) adj3 (number identifier identification representation)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;
22	BRS	54	S52 and ((initiate initiated initiating initiation initialize initialized initializing initialization initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing) near20 ((phone telephone) adj3 (call called calling communication communicate communicated)))	US-PGPUB; IBM_TDB	USPAT;	EPO;	JPO;	DERWENT;

	Туре	Hits	Search Text	DBs
23		25	S53 and ((attribute highlight highlighted highlighting color underline underlined underlining font bold italic enhace enhanced enhancing) near20 (phone telephone number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	91485	(phone telephone).ab. and (number identifier identification representation).ab.	EPO; JPO; DERWENT; IBM_TDB
25	BRS	20841	S55 and ((initiate initiated initiating initiation initialize initialized initialized initialized initialized initialized initializer activate activated activating activation activator active start starting started begin beginning dial dialed dialing connect connected connecting).ab. and (call called calling).ab.)	EPO; JPO; DERWENT; IBM_TDB
26	BRS		S56 and ((web adj1 (page document)).ab. or (data adj1 (unit page document)).ab. or webpage.ab.)	EPO; JPO; DERWENT; IBM_TDB